



CERTIFICATE OF CONFORMITY

This is to certify that



ARMOUR-THOR Termite Security System

Product description

The ARMOUR-THOR Termite Security System is ultra-marine grade aluminium which may be used in conjunction with the NOVITHOR Termite Protection System components.

Complies with the Building Code of Australia (BCA) 2015:

Volume One: BP1.1 and BP1.2
Volume Two: P2.1.1 and QLD P2.1.3

Product purpose or use

A termite protection system used as part of a complete termite management system to deter concealed subterranean termite entry in to buildings.

Certificate holder

Ensystex Australasia Pty Ltd
ABN: 53 102 221 965
Unit 3 The Junction Estate,
4 - 6 Junction Street
Auburn NSW 2144
Phone 13 35 36
www.ensystex.com.au

Codemark certification body

SAI Global Certification Services Pty Limited
(ACN 108 716 669) Trading as "SAI Global"
JAS-ANZ Accreditation No. Z1440295AS
Address: 680 George Street, Sydney, NSW 2000
Website: www.saiglobal.com

Subject to the following conditions and limitations:

1. The ARMOUR-THOR Termite Protection System may only be installed by ARMOUR-THOR Termite Protection System Authorised Operators who have been trained and Quality Guaranteed by Ensystex, Inc.
2. The ARMOUR-THOR Termite Protection System is to be installed in accordance with the ARMOUR-THOR Termite Protection System Installation Manual (Version – APM 2.01 05.12).
3. Concrete slabs must be constructed in accordance with the requirements of AS 2870-2011 Residential slabs and footings - Construction (Amendment 4), or AS 2870-2011 Residential slabs and footings, or AS 3600-2009 Concrete Structures (Amend 1).
4. Regular inspections are undertaken to assist with identifying any termite activity that may result in the bridging or breaching of the barrier.

Notes:

- (i) The installation of any termite barrier system cannot guarantee a 100% protection against infestation by subterranean termites. Thus the installation of a physical barrier does not negate the need for regular competent inspections. Any additions, alterations or earth works, including gardening adjacent to the building, may render the barrier ineffective. Such activity should be referred to a licensed installation contractor for appropriate advice and treatment.
- (ii) Any additional treatment should be done in accordance with the relevant State or Territory regulations.

Heather Mahon *P. Bailey*
Heather Mahon - Risk and Compliance Manager APAC **Paul Bailey - Unrestricted Building Certifier**

22/04/2016

Date of issue

09/09/2018

Date of expiry

SAIG-CM20064

Certificate Number



WWW.JAS-ANZ.ORG/REGISTER

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.